



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln. Of: GARROCH
Serial No.: 10/678,613
Filed: October 3, 2003
For: Touch-Pad Technology for Use of a Portable Electronic Device
DOCKET: NEC P15578

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF PRIORITY DOCUMENT

Dear Sir:

Submitted herewith is the certified copy of U.K. Patent Application No. 0223456.5 in support of Applicant's priority claim under 35 USC 119.

Respectfully submitted,

Norman P. Soloway
Attorney for Applicant
Registration No. 24,315

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 27, 2003 at Tucson, Arizona.

By:

HAYES SOLOWAY P.C.
130 W. CUSHING ST.
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567



P15578-A



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 19 September 2003

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form.)



100CT02 E754542-2 B01631
P01/7700 0.00-0223456.5

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Fee: £0

1. Your reference	AJR/ABS/44736		
2. Patent application number (The Patent Office will fill in this part)	0223456.5		- 9 OCT 2002
3. Full name, address and postcode of the or of each applicant (underline all surnames)	NEC TECHNOLOGIES (UK) LIMITED The Imperium (Level 3) Imperial Way Reading Berkshire RG2 0TD UNITED KINGDOM		
Patents ADP number (if you know it)	8119 059001		
If the applicant is a corporate body, give the country/state of incorporation	UNITED KINGDOM		
4. Title of the invention	Touch-Pad Technology for use on a Portable Electronic Device		
5. Full name, address and postcode in the United Kingdom to which all correspondence relating to this form and translation should be sent	Reddie & Grose 16 Theobalds Road LONDON WC1X 8PL		
Patents ADP number (if you know it)	91001 ✓		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application (If you know it)	Date of filing (day/month/year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day/month/year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description	5
Claim(s)	1 <i>one</i>
Abstract	1
Drawing(s)	1 <i>three figures</i>

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)


1 ✓

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(*please specify*)

11. I/We request the grant of a patent on the basis of this application.

Signature



Date

9 October 2002

12. Name and daytime telephone number of person to contact in the United Kingdom
- A J ROBSON
020-7242 0901

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.

Touch-Pad Technology for use on a Portable Electronic Device

The present invention relates to the incorporation of touch-pad technology onto a portable electronic device.

5 Development of software for portable electronic devices, and in particular mobile telecommunication devices, has enabled portable devices to incorporate multiple functions including phone books, diaries and text messaging.

10 The functions are selected from menus which are displayed on the screen of the communication device. The increasing number of functions provided by these devices have required the menus to increase both in size and in complexity and often a user may have to make multiple
15 selections in order to access a required function. In order to provide the user with a larger screen, to allow more information to be displayed, some mobile devices include touch sensitive screens, which allow the user to select a feature by simply touching the screen rather
20 than by using the keypad. Such devices require a reduced size keypad, or in some cases no keypad at all, and therefore have sufficient room to accommodate a larger display screen. Touch sensitive screens are also incorporated on devices with full keypads. Typically the
25 user is required to touch the screen to identify the function and tap the screen to confirm his selection.

We have appreciated that there are several drawbacks with touch sensitive display screens on mobile devices. Typically, display screens on mobile devices are not more
30 than a few cm square and include a large amount of information. Consequently, the icons are small and it is difficult to select accurately the required function

using a finger. Furthermore, when moving a finger over the front of the display, the display is obscured which increases the possibility of making an erroneous selection. If the user is required to tap the screen to
5 select the function there is a possibility that he will tap the screen at a different position which may either lead to selection of an non-required function or delay the selection procedure. Excessive touching of the screen may also make the screen dirty and greasy.

10 Preferred embodiments of the present invention seek to overcome these problems by providing a touch-pad on the rear face of the mobile communication device which has a display on the front face of the device. The unit includes circuitry linking the touch-pad to the display,
15 which may be software controlled. This provides a selection cursor on the display screen which is controlled by the touch-pad.

Preferred embodiments further include a selection button positioned on the unit. When the selection cursor
20 identifies the required function, the user can press the selection button to confirm selection and to activate the required function.

Preferably the touch pad is positioned substantially behind the area on the front face on which the display is
25 positioned, such that the position of a user's finger on the touch pad substantially corresponds to the position of the cursor on the display.

The invention is defined in its various aspects in the appended claims to which reference should now be made.

30 Embodiments of the present invention will now be described in detail by way of example with reference to the accompanying drawings, in which:

Figure 1 is a representation of a mobile communication device having a touch pad positioned on the rear of the device.

5 Figure 2 is a representation of a mobile communication device having a touch pad positioned on the rear face of the device in use.

Figure 3 is a representation of the display of the mobile telecommunication device during use.

10 Figure 1 shows the position of the touch pad 20 on the rear face of the mobile device 10. In preferred embodiments, the touch pad 20 is positioned directly behind the display screen and preferably has the same dimensions as the display screen. Further embodiments may include the touch-pad positioned at any convenient
15 position on the rear face of the device. Preferably, a capacitance sensing touch pad is used in which two layers of fine electrical conductors are arranged in a grid and positioned beneath a sealed surface. When the user touches the pad the fingertip distorts the electric field
20 at the point of contact. The exact position of the point of contact is identified by scanning the grid and measuring the strength of the distortion for each conductor. Such devices are known. In further embodiments of the present invention different types of
25 touch sensitive technology, including resistive systems and acoustic wave systems, may be used.

Figure 2 shows the present invention in use. The touch pad is positioned on the rear face of the unit 10 to enable a user to hold the unit in one hand and be able to
30 control the touch-pad while viewing the entire display 100. When the touch pad is touched, the device identifies the point of contact. The device includes circuitry which may be software controlled which

translates the point of contact on the touch-pad to a corresponding position on the display 100. The software then generates a cursor 110 on the display in the corresponding position. The user is able to control the position of the cursor by moving his finger around the touch-pad while maintaining contact with the touch-pad.

Embodiments including a touch-pad with the same dimensions as the display positioned directly behind the display are particularly easy to control since the position of the cursor on the display will correspond substantially to the position of the user's fingertip on the rear face and may correspond exactly to the position.

Typically, icons will be displayed on the screen and each icon represents a function. As the cursor passes over an icon, that icon may be highlighted. Further embodiments include a selection bar to indicate which function is presently highlighted and available for selection.

Preferred embodiments also include a confirmation button 120. Once the user has highlighted the required function, he may press the confirmation button 120 to confirm selection of that function. The confirmation button will operate in a similar way to the buttons on a mouse for a PC. The confirmation button may also allow the user to execute 'click' and 'drag-lock' operations.

The confirmation button may be positioned at any position on the unit. Preferred embodiments include the button on the side of the device to facilitate easy access by the user's thumb or finger when holding the device in one hand. In devices without a confirmation button, confirmation of selection may be made by tapping the pad after highlighting the required icon.

Figure 3 is a representation of the display screen in a preferred embodiment of the invention. The display screen shows the selection cursor 100 which is controlled by the user on the touch pad. In this embodiment the highlighted function 210 is indicated on a selection bar 220 on the screen. The confirmation button is pressed to confirm selection of the highlighted function.

In embodiments including both a touch pad and a keypad, the user can select whether to use the touch pad or the keypad. Such devices will include a means to select whether the touch-pad or keypad is active. This may be a dedicated key, switch or any other suitable means. If the device is two piece design, the touch pad may also be locked by closing the device.

Preferably, all devices will include a means for locking the touch pad to avoid erroneous selections when the phone is not in use. The touch pad may be locked using a dedicated key, a switch or any other suitable means.

It will be clear to those skilled in the art that the application of the present invention extends beyond the use of touch-pads on mobile telecommunication devices. Such a system could be incorporated into any handheld electronic device.

Claims

1. A portable electronic device comprising a display on a front face of the device on which selectable functions may be displayed and selected by a user and a touch pad
5 provided on a rear face of the device for a user to select the functions.
2. A portable electronic device according to claim 1 in which the touch pad is positioned substantially directly behind the display.
- 10 3. A portable electronic device according to claim 1 or 2 in which a cursor is presented on the display and is controlled by the user using the touch pad.
4. A portable electronic device according to claim 1, 2 or 3 in which the function which is available for
15 selection is highlighted.
5. A portable electronic device according to claim 1, 2, 3 or 4 in which the touch pad has the same dimensions as the display.
6. A portable electronic device according to claim 1, 2,
20 3, 4 or 5 in which the device includes a selection button to confirm selection of the selected function.
7. A portable electronic device substantially as herein described, with reference to the accompanying drawings.

Abstract

Figure 2

A portable electronic device 10 comprising a display 100
on a front face of the device on which selectable
5 functions may be displayed and selected by a user and a
touch pad provided on a rear face of the device for a
user to select the functions.



Figure 1




Figure 2





Figure 3



1/1

